

## Purchase Order Receipt Listing

Monday, December 05, 2016 11:39:53 AM

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO34228	Receipt Dates from 12/5/2016 to 12/5/2016	All Line Item Types
-------------	---------------	---	---------------------

All Item ID/GL/WOs      All Rec. Employees      All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VU-MET002 A.M. Castle & Co. (Canada) Inc.- C/O 910720											
P034228	3		M7075T6B5.000X0.3 f 75		12/2/2016	12/5/2016	12.0000		0.0000	0	\$0.00
USD	No		7075-T6 BAR 5.000" f X 0.375"		12.0000	PLOU01			0.0000	0	
			ml36303								
	4		M7075T6B6.000X0.2 f 50		12/2/2016	12/5/2016	12.0000		0.0000	0	\$0.00
	No		7075-T6 BAR 6.000" f X 0.250"		12.0000	PLOU01			0.0000	0	
			ml36303								
	7		71401-45		11/24/2016	12/5/2016	1.0000		0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES		1.0000	PLOU01			0.0000	0	
			ml36303								

**Total Received Quantity:**

Total Qty to Inspect (PO U/M):

**Total Reject Quantity:**

**Total Receipt Value:**

**Total Balance Due Quantity:**

25.0000

0.0000

0.0000

\$0.00

0.0000

**Castle Metals®**

A. M. Castles &amp; Co.


PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:3140017

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 01-DEC-16	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOULIN	<b>BOL No</b> 3140017-2

**Shipment Details**

<b>Order No</b> 4555598	<b>Line No</b> 5	<b>Item No</b> 750023.MO	<b>Description</b> 0.2500.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 6 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12	
<b>Purchase Order No</b> 34228	<b>Part Number</b>		<b>Ordered Qty</b> 1.00 PCS	<b>Invoice Qty</b> 1.00 PCS
<b>Details</b> ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS				
<b>Delivery No.</b> 120679474	<b>Mill</b> KAISER ALUMINUM	<b>Heat Number</b> 	<b>Mech Id</b> PCS 1	<b>Width (IN)</b>
			<b>Length (IN)</b>	<b>Shipped Qty(LBS)</b> 22.8550

These commodities/technologies are subject to US Export Administration &amp; US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castles &amp; Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be for credit.

Reviewed by Authorized Castle Metals Representative:

SHIPPED DEC 01 2016

Date: DEC 01 2016

Name: S. Castles

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion from any authorized end use is prohibited.  
Date Printed: 01-DEC-2016 03:38:10 PM



Castle Metals®

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 1

Shipment No:3140017

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 01-DEC-16	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN	<b>BOL No</b> 3140017-2

<b>Shipment Details</b>		<b>Final Destination Branch - TOR</b>
-------------------------	--	---------------------------------------

<b>Order No</b> 4555598	<b>Line No</b> 4	<b>Item No</b> 750067.MO	<b>Description</b> 0.3750.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 5 IN (+ 1250/- .0000 IN) X 144.5 IN (+ 1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS. AMS-QQ-A-250/12
<b>Purchase Order No</b> 34228	<b>Part Number</b>	<b>Ordered Qty</b> 1.00 PCS	<b>Invoice Qty</b> 1.00 PCS


**Details**  
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY  
ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S

Email P/s and certs to: clavoie@dartaero.com

END USER: DART AEROSPACE

END USE: COMMERCIAL AIRCRAFT PARTS

8816-125

<b>Delivery No.</b> 120679474	<b>Mill</b> KAISER ALUMINUM	<b>Heat Number</b>  182874B8	<b>Mech Id</b> 1	<b>PCS</b> 1	<b>Width (IN)</b>	<b>Length (IN)</b>	<b>Shipped Qty(LBS)</b> 28.3863
----------------------------------	-----------------------------------	---	---------------------	-----------------	-------------------	--------------------	------------------------------------

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

**SHIPPED** **Date:** DEC 01 2016 **Name:** S. Cartier

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 01-DEC-2016 03:38:10 PM



# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Kaiser Aluminum  
Trentwood Works  
Spokane, WA 99215-5108  
(800) 367-2586

CUSTOMER PO NUMBER: <b>397667-1</b>		WORK PACKAGE:		CUSTOMER PART NUMBER: <b>750023</b>		PRODUCT DESCRIPTION: <b>Sawed Plate</b>	
KAISER ORDER NUMBER: <b>1221537</b>	LINE ITEM: <b>1</b>	SHIP DATE: <b>10/15/2016</b>	ALLOY: <b>7075</b>	CLAD: <b>BARE</b>	TEMPER: <b>T651</b>		
WEIGHT SHIPPED: <b>3218 LB</b>	QUANTITY: <b>18 PCS EST.</b>	B/L NUMBER: <b>2062991</b>	GAUGE: <b>0.2500 IN</b>	WIDTH: <b>48.500 IN</b>	LENGTH: <b>144.500 IN</b>		
SHIP TO: <b>A M CASTLE &amp; CO 14001 ORANGE AVE P.O. BOX 1402 PARAMOUNT, CA 90723 US</b>			SOLD TO: <b>AM CASTLE &amp; CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523 US</b>				

MHU 2042070: LOT 191863B0: 6 pieces  
MHU 2051167: LOT 191839B0: 12 pieces

### Certified Specifications

AMS 4045/RevL AMS-QQ-A-250/12/RevA ASTM B 209/Rev14 CMMP 025/RevV

Test Code: 1512

### Test Results:

DAS  
14  
9-89  
16/12/16

LOT: 191839B0 CAST: 280 DROP: 35 INGOT: 5

Melted in USA  
(ASTM E8/B557)  
(EN 2002-1)

Tensile: Temper	Dir/#Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
T651	LT / 02 (Min:Max)	85.6 : 86.0 (590 : 593)	75.8 : 75.8 (523 : 523)	11.7 : 12.0

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.09	0.18	1.5	0.03	2.4	0.20	5.8	0.03	0.01	0.02	TOT 0.06

LOT: 191863B0 CAST: 280 DROP: 02 INGOT: 4

Melted in USA  
(ASTM E8/B557)  
(EN 2002-1)

Tensile: Temper	Dir/#Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
T651	LT / 02 (Min:Max)	86.8 : 86.9 (598 : 599)	77.4 : 77.6 (534 : 535)	11.5 : 11.8

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.07	0.16	1.4	0.02	2.5	0.21	6.0	0.02	0.01	0.01	TOT 0.06



Plant Serial: 4436448  
Kaiser Order Number: 1221537  
Line Item: 1

# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Kaiser Aluminum  
Trentwood Works  
Spokane, WA 99215-5108  
(800) 367-2586

Chemistry:		SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
7075	MIN	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	MAX 0.05
	MAX	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT 0.15

Aluminum Remainder


### Miscellaneous Notes

AMC CA-15409 R 3

#### CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order: \* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture. \* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. \* has been thermally processed in compliance with AMS 2772, where applicable. \* is mercury free, within the limits of detection of ASTM E1215 (<1ppm). \* is in compliance with RoHS 2, European Union Directive 2011/65/EU. \* is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates. \* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act. \* is free of weld repair. \* meets the reporting requirements of EN10204, Type 3.1. Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR



Plant Serial: 4436448

Kaiser Order Number: 1221537

## SHIP TO:

A M CASTLE & CO  
14001 ORANGE AVE  
P.O. BOX 1402  
PARAMOUNT, CA 90723

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

## CERTIFIED TEST REPORT

Serial Number

4432137

CUSTOMER PO NUMBER: 391052-1	WORK PACKAGE: 750067	CUSTOMER PART NUMBER: 750067	SHIP RUN/LOAD: 103677/18	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1218530-1	SHIP DATE: 7-SEP-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T651
PRODUCT DESCRIPTION: Sawed Plate				
WEIGHT SHIPPED: 3299 LB	QUANTITY: 12 PCS EST.	TRUCK B/L #: 2062306	GAUGE: 0.3750 IN (9.5250 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)
			LENGTH: 144.500 IN (3670.3 MM)	

MHU 2026202: LOT 178168B1: 7 pieces;

MHU 2030006: LOT 1828748B: 5 pieces;

## Certified Specifications

AMS 4045/RevL  
CMMP 025/RevV

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

DAS  
14  
988

16/12/07

Test Code: 1512

Lot: 178168B1 Cast 211

Drop 65

## Test Results

Ingot 1

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	85.1 : 85.6 (587 : 590)	75.6 : 76.2 (521 : 525)	12.8 : 13.6

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.17	1.5	0.03	2.5	0.19	5.7	0.03	0.01	0.01	TOT 0.05
Lot: 1828748B	Cast 246		Drop 08		Ingot 4						

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	82.6 : 83.1 (570 : 573)	73.0 : 73.4 (503 : 506)	13.2 : 13.5

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.20	1.4	0.03	2.3	0.20	5.6	0.02	0.01	0.01	TOT 0.05



# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4432137

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### ORDER COMMENTS

AMC CA-15409 R 3

### CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- \* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- \* All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- \* was melted in the United States of America or a qualifying country per DFARS 225.672-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- \* has been thermally processed in compliance with AMS 2772, where applicable.
- \* is mercury free, within the limits of detection of ASTM E1215 (< 1ppm).
- \* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- \* is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- \* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- \* is free of weld repair.
- \* meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075 T6 BL.00X.250

PO / BATCH NO.: 34228/136303

DATE: 11/12/07

MATERIAL CERT REC'D: YPS

THICKNESS ORDERED: .250

QUANTITY RECEIVED: 12

THICKNESS RECEIVED: .250

QUANTITY INSPECTED: 12

SHEET SIZE ORDERED: \_\_\_\_\_

QUANTITY REJECTED: \_\_\_\_\_

SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	<u>7075 T6</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	<u>.250</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	<u>AMS-QQ-A-250/12</u>
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	<u>HEAT # 191839B0</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	<u>M7075 T6 BL.00X.250</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	<u>M136303</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.  
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

<b>QC 18 INSPECTION</b>	<b>DAS</b> <b>48</b>	<b>ENGINEERING SIGNOFF (if required)</b>
INSPECTED BY: _____	9:89	SIGNED OFF BY: _____
DATE: <u>11/12/13</u>		DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075 TL6 B5.00X.375

PO / BATCH NO.: 34228/136303

DATE: 16/12/07

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .375

QUANTITY RECEIVED: 12'

THICKNESS RECEIVED: .380

QUANTITY INSPECTED: 12'

SHEET SIZE ORDERED: \_\_\_\_\_

QUANTITY REJECTED: \_\_\_\_\_

SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	7075-T6
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	.380
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	AMS-QQ-A-250/12
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	HEAT# 182874B8
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	M7075 TL6 B5.00X.375
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	M136303
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.  
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS</u> <u>14</u> <u>9-89</u>	SIGNED OFF BY: _____	
DATE: <u>16/12/07</u>	DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

# PURCHASE ORDER

Purchase Order ID PO34228

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 1

EMMAILED

## Order From :

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

NOV 08 2016

Contact Name  
Vendor Phone

Ship To Contact  
Ship To Phone  
Ship Via: Yours ppd  
Ship Acct:

Buyer Chantal Lavoie  
Customer POID  
Customer Tax # 10127-2607  
Terms Net 30  
Currency USD  
FOB Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M7075T6B1.250X07.000 ✓	7075-T6 BAR 1.25" X 7.000" ORDER PRE CUT TO 50.00"	11/23/2016 Yes 11/23/2016		33.33 ✓ f	\$52.08	\$1,736.00
MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE NOTE: CUT 8 PCS TO 50" LONG. GRAIN DIRECTION ALONG LENGHT							Line Total: \$1,736.00
2	M7075T6B1.750X02.250 ✓	7075-T6 BAR 1.750" X 2.250"	11/23/2016 Yes 11/23/2016		12.00 ✓ f	\$30.75	\$369.00
MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE							Line Total: \$369.00

2016-11-28

Note:

11/8/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

# PURCHASE ORDER

Purchase Order ID PO34228

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 2 of 3

**Order From :**

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

Yours ppd

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

3	M7075T6B5.000X0.375	7075-T6 BAR 5.000" X 0.375"	11/23/2016	12.00	\$16.60	\$199.20
			Yes	f		
			11/23/2016			

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

SP/6-12-5

Line Total: \$199.20

4	M7075T6B6.000X0.250	7075-T6 BAR 6.000" X 0.250"	11/23/2016	12.00	\$14.50	\$174.00
			Yes	f		
			11/23/2016			

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

SP/6-12-5

Line Total: \$174.00

5	M7075T73B3.000X4.000	7075-T73 Bar 3.0 x 4.0 grain direction along 3"	11/23/2016	4.00	\$91.75	\$367.00
			Yes	f		
			11/23/2016			

MATERIAL: 7075-T73/T7351/T73510/T73511 BAR AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 OR AMS 4124 OR AMS-QQ-A-250/12 OR AMS 4078

NOTE: GRAIN DIRECTION MUST RUN ALONG 3" WIDE

SP/6-11-28

Note:

11/8/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

# PURCHASE ORDER

Purchase Order ID PO34228

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 3 of 3

Order From :

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

				Line Total:	\$367.00
6	16011-00	7075T6 ROUND BILLET 8" DIA X 2.750" LONG	11/23/2016	8.00	\$114.00
				Each	\$912.00
NEW JIGS FOR WELDING ROBOT					
				Yes	
				11/23/2016	
				Line Total:	\$912.00
7	71401-45	PROCUREMENT QUALITY CLAUSES	11/23/2016	1.00	\$0.00
				No	\$0.00
				11/23/2016	
Procurement Quality Clauses					
A005 right of entry					
A012 chemical and physical test report					
A016 personnel qualification					
A017 raw material identification (as applicable)					
A026 certification of material conformance					
A041 quality management system					
A042 dart notification by supplier					
A043 retention of quality documents					
				Line Total:	\$0.00
				PO Total:	\$3,757.20

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 1

Change Date: 11/8/2016